

?

HILIGHT set on as ''

HILIGHT set on as ''

? b 155 434 55

01jun99 10:07:39 User231882 Session D424.2

\$0.00 0.040 DialUnits File410

\$0.00 Estimated cost File410

FTSNET 0.002 Hrs.

\$0.00 Estimated cost this search

\$0.00 Estimated total session cost 0.156 DialUnits

SYSTEM:OS - DIALOG OneSearch

File 155:MEDLINE(R) 1966-1999/Jul W4

(c) format only 1999 Dialog Corporation

\*File 155: reloaded, note accession numbers changed.

File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec

(c) 1998 Inst for Sci Info

File 55:Biosis Preiviews(R) 1993-1999/May W4

(c) 1999 BIOSIS

\*File 55: File is reloaded. Accession number changed.

Set Items Description

? s double(w)wall

249480 DOUBLE

159510 WALL

S1 83 DOUBLE(W)WALL

? s microcapsule

S2 637 MICROCAPSULE

? s s1 and s2

?  
HIGHLIGHT set on as ''  
HIGHLIGHT set on as ''  
? b 155 434 55

01jun99 10:07:39 User231882 Session D424.2  
\$0.00 0.040 DialUnits File410  
\$0.00 Estimated cost File410  
FTSNET 0.002 Hrs.  
\$0.00 Estimated cost this search  
\$0.00 Estimated total session cost 0.156 DialUnits

SYSTEM:OS - DIALOG OneSearch  
File 155:MEDLINE(R) 1966-1999/Jul W4  
(c) format only 1999 Dialog Corporation  
\*File 155: reloaded, note accession numbers changed.  
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec  
(c) 1998 Inst for Sci Info  
File 55:Biosis Preiviews(R) 1993-1999/May W4  
(c) 1999 BIOSIS  
\*File 55: File is reloaded. Accession number changed.

Set	Items	Description
-----	-------	-------------

? s double(w)wall

249480	DOUBLE
159510	WALL

S1 83 DOUBLE (W)WALL  
? s microcapsule

S2 637 MICROCAPSULE  
? s s1 and s2

83	S1
637	S2

S3 0 S1 AND S2  
? s wall

S4 159510 WALL  
? s s2 aand s4

>>>Term "AAND" in invalid position  
? s s2 and s4

637	S2
159510	S4

S5 101 S2 AND S4  
? s permeab?

S6 116735 PERMEAB?  
? s s5 and s6

101	S5
116735	S6

S7 11 S5 AND S6  
? rd

...completed examining records

8/3,K,AB/1 (Item 1 from file: 155)  
DIALOG(R) File 155:MEDLINE(R)  
(c) format only 1999 Dialog Corporation. All rts. reserv.

08930708 97059465

Microencapsulation of ketoprofen using w/o/w complex emulsion technique.  
El-Gibaly I; Safwat SM; Ahmed MO  
Pharmaceutics Department, Assiut University, Egypt.  
J Microencapsul (ENGLAND) Jan-Feb 1996, 13 (1) p67-87, ISSN 0265-2048  
Journal Code: JMG  
Languages: ENGLISH

Document type: JOURNAL ARTICLE

Sustained release cellulose acetate butyrate (CAB)-polystyrene (PS) microcapsules containing ketoprofen (a non-steroidal anti-inflammatory drug) were prepared adopting the modified W/O/W complex emulsion technique. The effect of polystyrene concentration and core/coat ratio on the yield, geometric mean particle diameter, dg, size distribution, drug loading as well as release and surface characteristics of the microcapsules was investigated. The results obtained revealed that polystyrene utilization as a wall material plays a dominant role in the manufacturing process. A particular composition of 92 center dot 5: 7 center dot 5 (%) of CAB to PS was found to improve greatly the **microcapsule** yield and maximize the drug loading. In most cases, the encapsulation efficiencies increased with increasing **microcapsule** size and theoretical drug loading. Kinetic analysis of the data shows that the drug release process from CAB microcapsules followed Higuchi model (a diffusion-controlled model for a planar matrix), whereas the release behaviour conforms with Baker and Lonsdale model (a diffusion-controlled model for a spherical matrix) for CAB-PS microcapsules. The preparation of free films of CAB and CAB-PS was described for comparison. The effect of processing parameters (polystyrene concentration, total polymers concentration and permeant concentration) on the permeation of ketoprofen through the polymeric films was discussed. The results demonstrated that ketoprofen permeation through the films and microcapsules could be controlled by modifying the CAB-PS ratio in the polymer matrices. The **permeability** constants lowered with increasing total polymers concentration up to 5% and were proportional to permeant concentration. To compare the kinetics of drug release from polymeric films with those of microcapsules, ketoprofen was incorporated at different concentrations within CAB-PS cast films. These films exhibited sustained release of the drug (t0 center dot 5; 58-146 h). Release rates were found to agree with the Baker and Lonsdale model, previously suggested for ketoprofen release from CAB-PS microcapsules.

... characteristics of the microcapsules was investigated. The results obtained revealed that polystyrene utilization as a wall material plays a dominant role in the manufacturing process. A particular composition of 92 center dot 5: 7 center dot 5 (%) of CAB to PS was found to improve greatly the **microcapsule** yield and maximize the drug loading. In most cases, the encapsulation efficiencies increased with increasing **microcapsule** size and theoretical drug loading. Kinetic analysis of the data shows that the drug release...

...5: 7 center dot 5 (%) of CAB to PS was found to improve greatly the **microcapsule** yield and maximize the drug loading. In most cases, the encapsulation efficiencies increased with increasing **microcapsule** size and theoretical drug loading. Kinetic analysis of the data shows that the drug release...

... microcapsules could be controlled by modifying the CAB-PS ratio in the polymer matrices. The **permeability** constants lowered with increasing total polymers concentration up to 5% and were proportional to permeant...

...; Compounding--Methods--MT; Excipients--Chemistry--CH; Excipients--Metabolism--ME; Kinetics; Microscopy, Electron, Scanning; Particle Size; **Permeability**; Polystyrenes--Metabolism--ME

8/3,K,AB/2 (Item 2 from file: 155)  
DIALOG(R) File 155:MEDLINE(R)  
(c) format only 1999 Dialog Corporation. All rts. reserv.

08393808 95378924

Gradation of **microcapsule wall** porosity by deposition of polymer mixtures (Eudragit RL and Eudragit RS). Phase separation of polymer mixtures and effects of external media and conditions on release.

Donbrow M; Hoffman A; Benita S

Department of Pharmacy, School of Pharmacy, Hebrew University of Jerusalem, Israel.

J Microencapsul (ENGLAND) May-Jun 1995, 12 (3) p273-85, ISSN 0265-2048 Journal Code: JMG

Languages: ENGLISH

Document type: JOURNAL ARTICLE

With the aim of increasing flexibility in controlling release from microcapsules, mixtures of **wall** polymers varying in porosity were investigated by phase separation. Eudragit RL and RS (polymethylmethacrylate linear backbone polymers) mixtures differing in polar substituent content and porosity were used as the **wall** material and were deposited using a non-solvent addition method. Release rates increased with polar group content of the mixtures, using theophylline, potassium dichromate or sodium chloride as model core materials. Theophylline release rate had the same relationship to polar group content as found earlier for urea permeation of cast mixed-polymer films. Release was generally accelerated in these systems when the external medium contained sodium lauryl sulphate as a wetting agent but not consistently, decreasing unexpectedly for RL-theophylline microcapsules. Localized dissolution of core substance was visible microscopically during release from single microcapsules. The release rate was sensitive to agitation intensity only at low **wall** to core ratios. Temperature change revealed only a single release mechanism for sodium chloride by Arrhenius equation treatment. Buffer ions penetrated coatings readily, changing theophylline release rates and providing clear evidence of diffusion via a pore-capillary mechanism.

Gradation of **microcapsule wall** porosity by deposition of polymer mixtures (Eudragit RL and Eudragit RS). Phase separation of polymer ...

With the aim of increasing flexibility in controlling release from microcapsules, mixtures of **wall** polymers varying in porosity were investigated by phase separation. Eudragit RL and RS (polymethylmethacrylate linear backbone polymers) mixtures differing in polar substituent content and porosity were used as the **wall** material and were deposited using a non-solvent addition method. Release rates increased with polar...

... release from single microcapsules. The release rate was sensitive to agitation intensity only at low **wall** to core ratios. Temperature change revealed only a single release mechanism for sodium chloride by...

; Delayed-Action Preparations; Diffusion; Hydrogen-Ion Concentration; Kinetics; Microscopy, Electron, Scanning; **Permeability**; Porosity; Potassium Dichromate--Pharmacology--PD; Sodium Chloride--Chemistry--CH; Sodium Dodecyl Sulfate--Pharmacology--PD; Temperature...

8/3,K,AB/3 (Item 3 from file: 155)  
DIALOG(R) File 155:MEDLINE(R)  
(c) format only 1999 Dialog Corporation. All rts. reserv.

06155310 85264227

Microencapsulation of paracetamol using polyacrylate resins (Eudragit Retard), kinetics of drug release and evaluation of kinetic model.

Benita S; Hoffman A; Donbrow M

J Pharm Pharmacol (ENGLAND) Jun 1985, 37 (6) p391-5, ISSN 0022-3573

Journal Code: JNR

Languages: ENGLISH

Document type: JOURNAL ARTICLE

Methacrylate copolymers were used for microencapsulation of paracetamol by phase separation from chloroform with polyisobutylene 6% in cyclohexane. With polyisobutylene as an anti-aggregating agent, high quality microcapsules were obtained. Drug release appeared to fit both first order and Higuchi matrix model kinetics. However, on application of the differential rate treatment, the evidence supported the first order description, which was further supported by computed simulations of the models. Variation of production conditions showed that increasing the proportion of core material raised the **microcapsule** drug content and the release rate. Reduction of core particle size correlated with reduced coating thickness and faster release rate. The rate constants correlated with the estimated surface areas and **wall** thicknesses of the various batches. The data were used to estimate an apparent **permeability** constant for paracetamol in Eudragit RS microcapsules, which was constant and comparable with values found single core, non-aggregated microcapsules containing other similar drugs and different **wall** materials.

... models. Variation of production conditions showed that increasing the proportion of core material raised the **microcapsule** drug content and the release rate. Reduction of core particle size correlated with reduced coating thickness and faster release rate. The rate constants correlated with the estimated surface areas and **wall** thicknesses of the various batches. The data were used to estimate an apparent **permeability** constant for paracetamol in Eudragit RS microcapsules, which was constant and comparable with values found single core, non-aggregated microcapsules containing other similar drugs and different **wall** materials.

8/3,K,AB/4 (Item 4 from file: 155)

DIALOG(R) File 155:MEDLINE(R)

(c) format only 1999 Dialog Corporation. All rts. reserv.

04830990 89361964

Dissolution studies of microencapsulated 4-sulphonamidophenoxyacetic acid: effect of preparative variables on dissolution.

Dragan D; Airinei A; Carpov A

P. Poni Institute of Macromolecular Chemistry, Iassy, Romania.

J Microencapsul (ENGLAND) Jul-Sep 1985, 2 (3) p223-34, ISSN 0265-2048  
Journal Code: JMG

Languages: ENGLISH

Document type: JOURNAL ARTICLE

Ethylcellulose-walled microcapsules of 4-sulphonamidophenoxyacetic acid were prepared and their in vitro dissolution characteristics were investigated. Different release kinetics must be applied according to the respective average particle size and **wall** content values of the **microcapsule** fractions. The 'dissolution model' appears to fit better with small thin-walled microcapsules whereas, for larger thicker-walled microcapsules, Higuchi-type kinetics seem to describe the release of the major part of the drug more adequately.

... investigated. Different release kinetics must be applied according to the respective average particle size and **wall** content values of the **microcapsule** fractions. The 'dissolution model' appears to fit better with small thin-walled microcapsules whereas, for...

; Cellulose--Analogues and Derivatives--AA; **Permeability**; Solubility

8/3,K,AB/5---(Item 5 from file: 155)

DIALOG(R) File 155:MEDLINE(R)

(c) format only 1999 Dialog Corporation. All rts. reserv.

04453900 83032984

Release kinetics of sparingly soluble drugs from ethyl cellulose-walled microcapsules: salicylamide microcapsules.

Donbrow M; Benita S

J Pharm Pharmacol (ENGLAND) Sep 1982, 34 (9) p547-51, ISSN 0022-3573

Journal Code: JNR

Languages: ENGLISH

Document type: JOURNAL ARTICLE

Release rates of salicylamide from single-core ethyl cellulose (EC) coated microcapsules were measured as a function of wall thickness and core particle size. Whereas up to ca 50% release zero order kinetics were observed, the overall reaction fitted the first order and Higuchi matrix treatment. These were distinguished by the differential rate treatment, which showed that the overall release in fact followed the first order pattern. For investigating whether the process was membrane-controlled, the experimental rate constants were transformed into effective permeability constants ( $P_0$  and  $P_1$ ) with the aid of the microcapsule dimensional parameters needed in the relevant equations and compared with the salicylamide permeability constant for planar ethyl cellulose membranes ( $P$ ), measured experimentally.  $P_0$  and  $P_1$  values obtained for a given microcapsule preparation were not identical:  $P_0$  was of the same order as  $P$ ,  $P_1$  being much lower. While membrane-controlled release is evident, it is apparently accompanied by a first order concentration gradient change inside the microcapsule.

... salicylamide from single-core ethyl cellulose (EC) coated microcapsules were measured as a function of wall thickness and core particle size. Whereas up to ca 50% release zero order kinetics were...

... investigating whether the process was membrane-controlled, the experimental rate constants were transformed into effective permeability constants ( $P_0$  and  $P_1$ ) with the aid of the microcapsule dimensional parameters needed in the relevant equations and compared with the salicylamide permeability constant for planar ethyl cellulose membranes ( $P$ ), measured experimentally.  $P_0$  and  $P_1$  values obtained for a given microcapsule preparation were not identical:  $P_0$  was of the same order as  $P$ ,  $P_1$  being much...

... is evident, it is apparently accompanied by a first order concentration gradient change inside the microcapsule.

; Capsules; Hydrogen-Ion Concentration; Kinetics; Particle Size; Permeability; Solubility; Theophylline; Time Factors

8/3,K,AB/6 (Item 6 from file: 155)

DIALOG(R) File 155:MEDLINE(R)

(c) format only 1999 Dialog Corporation. All rts. reserv.

6/1/99

04449086 82169864

Release kinetics of sparingly soluble drugs from ethyl cellulose-walled microcapsules: theophylline microcapsules.

Benita S; Donbrow M

J Pharm Pharmacol (ENGLAND) Feb 1982, 34 (2) p77-82, ISSN 0022-3573

Journal Code: JNR

Languages: ENGLISH

Document type: JOURNAL ARTICLE

Release rates of theophylline from ethyl cellulose-coated microcapsules were measured as a function of wall thickness and core particle size. The kinetic data conformed with first order release and also the Higuchi matrix model. However, application of the differential rate treatment, hitherto applied only to drug matrix dispersions, showed that release from the microcapsules definitely followed the first order equation. For the purpose of confirming that the release process was membrane-controlled, the experimental rate constants were transformed into effective permeability constants ( $P_1$ ) with the aid of the microcapsule dimensional parameters needed in the relevant equations and compared with

the permeability constant (P) of theophylline measured experimentally using planar ethyl cellulose membranes. P1 values decreased linearly to a moderate extent with wall thickness, probably due to decrease in porosity during wall -formation. P1 values of the thicker-walled microcapsules were found to be of the same order as the membrane P value, supporting a release mechanism of membrane control under non-steady state conditions.

Release rates of theophylline from ethyl cellulose-coated microcapsules were measured as a function of wall thickness and core particle size. The kinetic data conformed with first order release and also...

... that the release process was membrane-controlled, the experimental rate constants were transformed into effective permeability constants (P1) with the aid of the microcapsule dimensional parameters needed in the relevant equations and compared with the permeability constant (P) of theophylline measured experimentally using planar ethyl cellulose membranes. P1 values decreased linearly to a moderate extent with wall thickness, probably due to decrease in porosity during wall -formation. P1 values of the thicker-walled microcapsules were found to be of the same...

; Cellulose--Analogues and Derivatives--AA; Delayed-Action Preparations; Diffusion; Kinetics; Particle Size; Permeability; Solubility

8/3,K,AB/7 (Item 7 from file: 155)  
DIALOG(R) File 155:MEDLINE(R)  
(c) format only 1999 Dialog Corporation. All rts. reserv.

03415078 81194204

Effect of capsule size on permeability of gelatin-acacia microcapsules toward sodium chloride.

Jalsenjak I; Kondo T

J Pharm Sci (UNITED STATES) Apr 1981, 70 (4) p456-7, ISSN 0022-3549  
Journal Code: JO7

Languages: ENGLISH

Document type: JOURNAL ARTICLE

The effect of capsule size on the permeability of gelatin-acacia microcapsules toward sodium chloride was investigated. Gelatin-acacia microcapsules containing olive oil were prepared by phase separation. The encapsulated olive oil was extracted with acetone and the acetone-loaded microcapsules dispersed in acetone were fractionated by a series of mesh screens. The core material of acetone than was replaced by water. The permeability of each capsule fraction toward sodium chloride was estimated from the change in electrical conductance with time of the mixture of microcapsule suspension and sodium chloride solution. The permeability decreased with decreasing capsule size. Structured water in and around the capsule wall may be the cause of the observed size effect.

Effect of capsule size on permeability of gelatin-acacia microcapsules toward sodium chloride.

The effect of capsule size on the permeability of gelatin-acacia microcapsules toward sodium chloride was investigated. Gelatin-acacia microcapsules containing olive oil...

... series of mesh screens. The core material of acetone than was replaced by water. The permeability of each capsule fraction toward sodium chloride was estimated from the change in electrical conductance with time of the mixture of microcapsule suspension and sodium chloride solution. The permeability decreased with decreasing capsule size. Structured water in and around the capsule wall may be the cause of the observed size effect.

; Chemistry; Particle Size; Permeability

8/3,K,AB/8 (Item 1 from file: 55)  
• DIALOG(R) File 55: Biosis Previews(R)  
(c) 1999 BIOSIS. All rts. reserv.

11800625 BIOSIS NO.: 199900046734  
Microencapsulation of pesticides by interfacial polymerization utilizing  
isocyanate or aminoplast chemistry.

AUTHOR: Scher Herbert B(a); Rodson Marius; Lee Kuo-Shin  
AUTHOR ADDRESS: (a) Zeneca Ag Products, Western Research Center, 1200 South  
47th Street, Richmond, CA 94804-0023, USA

JOURNAL: Pesticide Science 54 (4):p394-400 Dec., 1998  
ISSN: 0031-613X  
DOCUMENT TYPE: Article  
RECORD TYPE: Abstract  
LANGUAGE: English

ABSTRACT: Interfacial polymerization microcapsulation processes based on  
isocyanate or aminoplast chemistry, where all wall-forming  
reactants are placed in the dispersed oil phase are described. Emphasis  
is placed on mechanism of interfacial reactions, physical nature of the  
resulting membranes and methods used to vary membrane permeability.  
Pesticide microcapsule formulations can be used to reduce mammalian  
toxicity and extend activity, to control evaporation, to reduce  
phytotoxicity, to protect pesticide from rapid environmental  
degradation, to reduce leaching and to reduce pesticide levels in the  
environment. Examples are provided to demonstrate how pesticide  
performance characteristics can be altered using this type of  
formulation.

ABSTRACT: Interfacial polymerization microcapsulation processes based on  
isocyanate or aminoplast chemistry, where all wall-forming  
reactants are placed in the dispersed oil phase are described. Emphasis  
is placed on...

...of interfacial reactions, physical nature of the resulting membranes and  
methods used to vary membrane permeability. Pesticide  
microcapsule formulations can be used to reduce mammalian toxicity  
and extend activity, to control evaporation, to...

DESCRIPTORS:

CHEMICALS & BIOCHEMICALS: ...wall-forming reactants  
MISCELLANEOUS TERMS: membrane permeability